

## **Product Specification Sheet**

| Description                                     | 200XL Tips   | 200XL Filter Tips    |  |  |  |  |
|---|--|----------------------|--|--|--|--|
| Maximum Volume                                  | 300μl  | 300µl                |  |  |  |  |
| Graduation                                      | 10µl, 100µl, 200µl   | 10µl, 100µl, 200µl   |  |  |  |  |
| Material  | Virgin Polypropylene   | Virgin Polypropylene |  |  |  |  |
| Autoclavable                                    | Yes  | No                   |  |  |  |  |
| Certified RNase, DNase,<br>DNA and Pyrogen free | Yes  | Yes                  |  |  |  |  |
| Hazards Data                                    | Health 0 Non-hazardous Flammability 1 Flammable (Class A fire) Reactivity 0 Non-reactive |                      |  |  |  |  |

## Production Standards & Procedures

Product is Produced under controlled environment.

All personnel are capped, masked, gloved and gowned in the assembly area.

\*Consult the polymer MSDS for further information on potential hazards associated with this material.

Lot size is variable due to continuous molding process.

Tip Filters are specifically designed to help prevent liquid bypass ,cross contamination and airborne contamination from being drawn in to the Tips, thus protecting the pipette body from contamination.

This Product is manufactured to the following specifications:

Magnified visual examination for flash (+0.02in).

## Low Retention Tips & Regular Tips

Low Retention Tips

Minimum retention = Maximum accuracy No Silicon additives = No leaching

Manufactured from specially developed resins combined with high quality diamond finish mould creates super hydrophobic internal surface and ensures maximum recovery of sample yield.



## **Packaging**



Bulk



Racked









Individually Wrapped Tip-Sterile

Technical Drawing



| ø0.80                                       |           |
|---|-----------|
| 10µІ  | 52        |
| 100µI                                       | 38.60-015 |
| 200µI — — — — — — — — — — — — — — — — — — — |           |
|   | -1.25     |



| Order in:- 200XL-S-L-F-R |        |         |               |        |         |   |  |  |  |
|--------------------------|--------|---------|---------------|--------|---------|---|--|--|--|
| Volume                   |        | Sterile | Low Retention | Filter | Packing |   |  |  |  |
| 10μΙ                     | 10XL   | 20μΙ    | S             | L      | F       | В |  |  |  |
| 200μΙ                    | 200XL  | 50μΙ    |               |        |         | R |  |  |  |
| 1000μl                   | 1000XL | 100μΙ   |               |        |         | K |  |  |  |
| 10XN                     | 20μΙ   |         |               |        |         | W |  |  |  |

i.e 200XL Sterile Low Retention Filter Rack Tips

S=Sterile, L=Low Retention, F=Filter, B=Bulk, R=Rack, K=Reload, W=Wrapped

Tips for Perfect Pipetting



www.accumaximum.com